



鋼絲繩鋁套




产品参数

一次成型，小巧精美，使用美观简便。



规格	内宽 b (mm)	内长 a (mm)	厚度 c (mm)	总长 d (mm)	1000只重量 (KG)
M0.5	1.00	1.74	0.60	4.00	0.04
M0.8	1.20	2.00	0.68	4.96	0.07
M1	1.50	2.60	0.68	5.00	0.08
M1.2	1.55	3.50	0.68	6.00	0.11
M1.5	1.75	3.30	0.70	7.00	0.14
M2	2.28	4.22	0.98	7.30	0.26
M2.5	2.68	5.40	1.05	9.00	0.40
M3	3.30	6.60	1.15	11.10	0.65
M4	4.60	8.80	1.45	14.00	1.50
M5	5.45	10.80	2.00	18.00	3.10
M6	6.40	13.16	2.40	21.30	5.00
M8	8.70	17.00	3.47	28.14	14.80
M10	10.80	20.40	4.30	35.30	28.10
M12	13.40	25.90	4.90	42.32	47.00
M13	14.40	28.50	5.35	46.40	60.00
M14	15.50	30.40	5.70	50.00	74.30
M16	17.50	34.90	6.60	56.36	111.00

单批测量数据，可能与实物稍有误差，对尺寸要求精确请联系客服进行实时测量！



规格	内宽B (mm)	内长A (mm)	厚度C (mm)	总长L (mm)	1000只重量 (KG)
M1	1.20	2.60	1.00	8.00	0.20
M1.2	1.52	3.20	1.10	9.00	0.30
M1.5	2.00	4.00	1.10	9.00	0.35
M2	2.50	4.75	1.10	9.00	0.44
M2.5	3.00	6.00	1.60	12.00	1.00
M3	3.40	6.80	1.60	14.00	1.30
M4	4.50	9.20	1.90	16.00	2.50
M5	5.70	11.50	2.10	22.00	4.60
M6	6.90	14.00	2.30	26.00	7.00
M8	9.50	18.80	4.00	32.00	21.30
M10	11.10	22.00	4.20	36.30	28.00
M12	13.50	27.50	4.30	40.00	37.00

铝套使用图示例

