

勝特力材料 886-3-5773766
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

薄壁 套筒螺丝刀

THIN-WALLED SOCKET SCREWDRIVER

多种规格·杆粗筒深



螺帽对边直径



螺帽对边直径=套筒规格

产品参数

PRODUCT PARAMETERS



注：手工测量，存在一定误差，请以收到实物为准

套筒型号	总长	杆长	手柄长	套筒外径	套筒壁厚	使用深度	螺杆深度
3.0	142mm	72mm	70mm	6mm	1.2mm	4.2mm	7mm
3.5	142mm	72mm	70mm	6mm	1.2mm	5.2mm	9.7mm
4.0	145mm	75mm	70mm	7mm	1.2mm	5.2mm	8.8mm
4.5	145mm	75mm	70mm	8mm	1.4mm	5.4mm	8.2mm
5.0	143mm	73mm	70mm	7.7mm	1.2mm	6.8mm	7.4mm
5.5	142mm	72mm	70mm	8.8mm	1.2mm	7.6mm	7.7mm
6.0	145mm	75mm	70mm	9mm	1.2mm	8.6mm	10mm
7.0	200mm	100mm	100mm	11.2mm	2.0mm	14.2mm	15.3mm
8.0	200mm	100mm	100mm	11.2mm	1.5mm	14mm	16mm
9.0	200mm	100mm	100mm	14mm	2.2mm	8.7mm	16.6mm
10.0	200mm	100mm	100mm	14mm	1.8mm	10.5mm	17.5mm

NO.1

塑料手柄·抗油抗污，使用顺手



NO.2

杆粗筒深·筒深好用，杆粗结实



NO.3

多种规格·适合多种，不同场景



NO.4

合金钢材·表面电镀，不易生锈

