



型号	A(mm)	B(mm)	C(mm)	D(mm)
P-895	150	10	9	05
ST-10	166	9	10	03
ST-11	140	9	7	03
ST-11A	166	9	10	03
ST-14	160	9	10	03
ST-14A	160	9	10	03
ST-14B	160	9	10	03
ST-15	122	10	8	03
ST-16	163	8	15	03
ST-16A	162	8	15	03
ST-18	180	10	9	03



品牌:MTC-EX  
 型号:P-985  
 全长:150mm  
 宽度:前端1mm  
           中端6mm  
           后端10mm  
 厚度:2.5mm



不锈钢



尖

镊子带孔  
加硬 增加摩擦力

品牌:MTC-EX  
型号:ST-10  
全长:166mm  
宽度:前端0.3mm  
中端8mm  
后端9mm  
厚度:2mm



不锈钢



尖



品牌:MTC-EX  
型号:ST-11  
全长:140mm  
宽度:前端0.3mm  
中端8mm  
后端9mm  
厚度:1.5mm

MTC-EX

不锈钢



尖



品牌:MTC-EX  
型号:ST-11A  
全长:166mm  
宽度:前端0.3mm  
中端8mm  
后端9mm  
厚度:1.5mm

MTC-EX

不锈钢



尖



带孔可增加硬度  
增加摩擦力  
尖端长30mm

品牌:MTC-EX  
型号:ST-14  
全长:160mm  
宽度:前端0.3mm  
中端9mm  
后端9mm  
厚度:1.5mm



不锈钢



尖



带孔可增加硬度  
增加摩擦力  
尖端长30mm

品牌:MTC-EX  
型号:ST-14A  
全长:159mm  
宽度:前端0.3mm  
中端9mm  
后端9mm  
厚度:1.5mm



不锈钢



弯尖头



带孔可增加硬度  
增加摩擦力  
前端30mm

品牌:MTC-EX  
型号:ST-14B  
全长:160mm  
宽度:前端0.3mm  
中端9mm  
后端9mm  
厚度: 1.5mm



MTC-EX<sup>®</sup>

不锈钢



弯尖头



品牌:MTC-EX

型号:ST-15

全长:122mm

宽度:前端0.3mm

中端9mm

后端10mm

厚度:1.5mm

MTC-EX<sup>®</sup>

不锈钢



防滑



品牌:MTC-EX

型号:ST-16

全长:163mm

宽度:尖端0.3mm

中端8mm

后端8mm

厚度:2mm

