

100Y 編號 106043

廠商編號 RI-3

品名規格 精密套筒起子內直徑 5.5mm/扭 M3 螺絲全長 183mm

套筒內徑深度第一節長 3.2mm/總長 14mm



勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)





数字表仅作参考!

| 规格<br>mm | 套筒内径<br>mm | 套筒外径<br>mm | 套筒长度<br>mm | 手柄长度<br>mm |
|----------|------------|------------|------------|------------|
| 4X95     | 4          | 7.66       | 95         | 78         |
| 5X95     | 5          | 8.22       | 95         | 77         |
| 5.5X91   | 5.5        | 8.24       | 91         | 78         |
| 6X88     | 6          | 9.48       | 87         | 86         |
| 7X88     | 7          | 10.95      | 88         | 88         |
| 8X92     | 8          | 11.97      | 90         | 87         |
| 9X86     | 9          | 12.74      | 85         | 88         |
| 10X88    | 10         | 14.09      | 86         | 97         |
| 11X91    | 11         | 14.91      | 90         | 97         |
| 12X90    | 12         | 16.14      | 90         | 97         |
| 13X90    | 13         | 17.02      | 90         | 97         |
| 14X91    | 14         | 18.48      | 90         | 97         |

采用铬钒钢制造，整体淬火，硬度高





螺栓尺寸 对应 扳手或套筒对边尺寸

公制外六角螺栓(絲)外直徑尺寸(左)-----内六角套筒內直徑尺寸(右)

M3 ←→ 5.5MM

M4 ←→ 7MM

M5 ←→ 8MM

M6 ←→ 10MM

M8 ←→ 13MM (14MM)

M10 ←→ 16MM (17MM)

M12 ←→ 18MM (19MM)

M14 ←→ 21MM (22MM)

M16 ←→ 24MM

M18 ←→ 27MM

M20 ←→ 30MM

M22 ←→ 34MM