



螺栓尺寸与套筒扳手及内六角尺寸对照表

螺栓尺寸	对内六角扳手	对压配套筒	对外六角套筒	对扳手
M1.5			3.2mm	
M2			4mm	
M2.5			5mm	
M3	H2.5		5.5mm	5.5mm
M4	H3	H3	7mm	7mm
M5	H4	H4	8mm	8mm
M6	H5	H5	10mm	10mm
M8	H6	H6	14mm	14mm
M10	H8	H8	17mm	17mm
M12	H10	H10	19mm	19mm
M14	H12	H12	22mm	22mm
M16	H14	H14	24mm	24mm
M18	H14	H14	27mm	27mm
M20	H17	H17	30mm	30mm
M22	H17	H17	32mm	32mm
M24	H19	H19	36mm	36mm
M27	H19	H19	41mm	41mm
M30	H22	H22	46mm	46mm
M33			50mm	50mm
M36			55mm	55mm



EUROPE DIN STANDARD WRENCH

COMBINATION WRENCH **DIN3113**

符合德國 **DIN** 標準，鉻釩鋼熱鍛打造，品質已達世界標準，弧型設計更順手。

歐式薄型梅開扳手



EUROPE DIN STANDARD SPANNER.
CHROME VANADIUM MEET DIN3113 STANDARD.
HEAT TREATED CHROME PLATED MAT FINISHED.



METRIC SIZE

Item No.	Model No	SIZE	L	C	B	B1	C1	T	WT(g)	Price
1719-1996	CWEF004	4	97	13.5	10.1	4.7	3.4	2.4	15	
1719-1997	CWEF004.5	4.5	97	13.5	10.1	4.7	3.4	2.4	15	
1719-1998	CWEF005	5	97	13.5	10.1	4.7	3.4	2.4	15	
1719-1999	CWEF005.5	5.5	105	15.5	10.1	4.7	4.2	2.7	17	
1719-2000	CWEF006	6	105	15.5	10.1	4.7	4.2	2.7	17	
1719-2010	CWEF007	7	115	17	11.5	5	4.4	2.8	20	
1719-2020	CWEF008	8	125	19.2	12.8	5.5	4.6	3	26	
1719-2030	CWEF009	9	135	21.2	14.2	5.9	4.8	3.3	34	
1719-2040	CWEF010	10	145	23.2	15.6	6.5	5	3.5	36	
1719-2050	CWEF011	11	155	25.3	16.9	6.9	5.4	3.7	44	
1719-2060	CWEF012	12	165	27.2	18.3	7.3	5.5	3.9	52	
1719-2070	CWEF013	13	175	29.4	19.7	7.8	5.9	4.1	63	
1719-2080	CWEF014	14	185	31.5	21.2	8.3	6.2	4.4	78	
1719-2090	CWEF015	15	195	33.2	22.5	8.6	6.4	4.6	100	
1719-2100	CWEF016	16	205	34.7	24	8.9	6.7	4.8	110	
1719-2110	CWEF017	17	215	36.5	25.3	9.3	6.9	5	132	
1719-2120	CWEF018	18	225	38.7	26.8	9.9	7.2	5.2	144	
1719-2130	CWEF019	19	235	40.7	28.1	10.5	7.4	5.4	154	
1719-2140	CWEF020	20	245	43.1	29.7	10.9	7.7	5.6	188	
1719-2150	CWEF021	21	255	44.8	31.3	11.3	8	5.7	200	
1719-2160	CWEF022	22	265	46.9	32.6	11.5	8.2	5.8	220	
1719-2170	CWEF023	23	275	48.3	34.2	11.8	8.4	5.9	260	
1719-2180	CWEF024	24	285	50.4	35.5	12.1	8.7	6	280	
1719-2190	CWEF025	25	295	52	36.9	12.5	8.9	6.2	340	
1719-2200	CWEF026	26	305	53.6	38.2	12.8	9.2	6.4	370	
1719-2210	CWEF027	27	315	55.7	39.6	13.1	9.4	6.6	390	
1719-2220	CWEF028	28	325	57.6	40.9	13.3	9.7	6.8	430	
1719-2230	CWEF029	29	335	59.7	42.3	13.5	9.9	7	440	
1719-2240	CWEF030	30	345	61.8	43.7	13.7	10.1	7.1	500	
1719-2250	CWEF031	31	365	65.8	46.4	14.3	10.4	7.3	560	
1719-2260	CWEF032	32	365	65.8	46.4	14.3	10.4	7.3	560	
1719-2270	CWEF033	33	380	69.2	48.8	15	10.7	7.5	630	
1719-2280	CWEF034	34	380	69.2	48.8	15	10.7	7.5	630	
1719-2290	CWEF035	35	410	74	53	19.4	13.5	8	800	
1719-2300	CWEF036	36	410	74	53	19.4	13.5	8	800	
1719-2305	CWEF037	37	430	77	56	20.4	15	9	1000	
1719-2310	CWEF038	38	430	77	56	20.4	15	9	1000	
1719-2315	CWEF040	40	460	84	61	21.6	16	10	1160	

Item No.	Model No	SIZE	L	C	B	B1	C1	T	WT(g)	Price
1719-2320	CWEF041	41	460	84	61	21.6	16	10	1160	
1719-2330	CWEF042	42	460	84	61	21.6	16	10	1160	
1719-2340	CWEF043	43	460	84	61	21.6	16	10	1160	
1719-2345	CWEF044	44	500	92	66	23	17	11	1700	
1719-2350	CWEF045	45	500	92	66	23	17	11	1700	
1719-2360	CWEF046	46	500	92	66	23	17	11	1700	
1719-2370	CWEF047	47	500	92	66	23	17	11	1700	
1719-2380	CWEF048	48	540	102	73	24.6	18	12	2000	
1719-2390	CWEF049	49	540	102	73	24.6	18	12	2000	
1719-2400	CWEF050	50	540	102	73	24.6	18	12	2000	
1719-2401	CWEF051	51	540	102	73	24.6	18	12	2000	
1719-2405	CWEF054	54	560	118	86	21.5	28	14.5	2800	
1719-2410	CWEF055	55	560	118	86	21.5	28	14.5	2800	
1719-2415	CWEF058	58	600	126	94	23.5	30	16	3900	
1719-2420	CWEF060	60	600	126	94	23.5	30	16	3900	
1719-2425	CWEF063	63	600	126	94	23.5	30	16	3900	
1719-2430	CWEF065	65	680	148	108	24.5	32	18	5800	
1719-2440	CWEF070	70	680	148	108	24.5	32	18	5800	
1719-2450	CWEF075	75	730	155	115	24.5	35	18	6650	
1719-2460	CWEF080	80	730	155	115	24.5	35	18	6510	
1719-2470	CWEF085	85	790	180	129	27.8	37	18.6	10500	
1719-2480	CWEF090	90	790	180	129	27.8	37	18.6	10000	
1719-2500	CWEF100	100	860	190	139	30	40	20	12000	
1719-2510	CWEF105	105	860	190	139	30	40	20	11500	