

勝特力材料 886-3-5773766  
勝特力电子(上海) 86-21-34970699  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

# 品亚科技

源头工厂 品质保障 实力厂家



源头工厂



钻石品质



经久耐用



低音运行



应用广泛



**PYRP500-XA**  
蠕动泵

APPLICATION AREA  
产品参数

● PYRP500-XA

LIQUID PUMP  
液泵


\*参数需定制, 下单前请联系客服

额定电压	DC 3V	DC 3.7V	DC 4.5V	DC 6V	DC 12V
额定电流	≤800mA	≤650mA	≤530mA	≤400mA	≤200mA
功率	2.4 W	2.4 W	2.4 W	2.4 W	2.4 W
气嘴口径	Ø5.0mm				
抽液量	100-300 mLPM				
最大真空度	≤-20 Kpa(-150mmHg)				
噪音	≤65db (30cm away)				
寿命测试	≥ 100,000 Times (ON 2秒, OFF 2秒)				
扬程	≥0.5m				
吸程	≥0.5m				
重量	56g				

典型应用

家用电器.医疗.美容.按摩.成人用品.  
洗手液发泡机

外形尺寸



# 好品质 值得信赖



## 发热少 噪音低

采用品成电机，坚固耐用，发热少噪音低。表面增加耐腐蚀工艺处理持久耐用。

## 环保型原料

采用环保型原料，安全放心，满足对安全的需求。原料更加耐用。



## 导线接口

优质导线接口，输出平稳，通电更加流畅，不易损坏。