



THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
AJ	16	A	ECR-12-005726	27MAR12	RK	MY	



- 1 MATERIALS:
 BODY (LEG): ZINC ALLOY (ZAMAK 3)
 BODY (FRONT): BRASS PER QQ-B-626
 CENTER CONTACT: BRASS PER QQ-B-626
 INSULATORS: PTFE PER ASTM-D-1710
 END CAP: BRASS PER QQ-B-626
- 2 FINISH:
 CENTER CONTACT: GOLD PLATE PER MIL-G-45204
 BODY (LEG): TIN PLATE PER ASTM-B-545
 BODY (FRONT): ELECTROLESS NICKEL
 PL PER MIL-C-26074
 END CAP: NICKEL PLATE PER QQ-N-290
3. INTERFACE PER MIL-C-39012



RECOMMENDED PCB CONFIGURATION

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

5414338-1
 PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN G. ATTADIA - 01FEB2005	TE Connectivity	
DIMENSIONS: INCHES		CHK J. HAVENER 01FEB2005	NAME J. HAVENER	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD J. HAVENER 01FEB2005	PRODUCT SPEC PLUG, RTANG, SMB/PCB WITH KEYING LEG	
0 PLC ± -		APPLICATION SPEC	SIZE A2	CAGE CODE 00779
1 PLC ± -		WEIGHT	DRAWING NO 5414338	RESTRICTED TO
2 PLC ± .25 [.010]		CUSTOMER DRAWING	SCALE 8:1	SHEET 1 of 1
3 PLC ± .13 [.005]			REV A	
4 PLC ± -				
ANGLES ± -				
FINISH				