勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-54151736 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw



## **Product Information**

# **EcoLine™ Contact Cleaner**

General Purpose Contact Cleaner **1622** 

#### Introduction

EcoLine™ Contact Cleaner is a hexane mixture that cleans electrical contacts and connections. Ideal for switches, relays, contact pads and other electrical connections. Safe on most plastics, the solvent will not damage switch housing.

### Features / Benefits

Non-Ozone Depleting Safe on Most Plastics Zero Residue Rapidly Evaporating

Physical Properties			
Boiling Point	80°C / 176°F		
Flash Point (TCC)	-15°F		
Evaporation Rate	NIF		
Surface Tension	W. P. COL		
Kauri-Butanol (KB Value)	W.100		

## **Chemical Components**

Isopropanol	(67-63-0)	8-12%-Aerosol 10-15%-Bulk
Denatured Alcohol	(64-17-5)	18-25%
2-Methyl-2-Propanol		<<1%-Aerosol 3.4%-Bulk
Carbon Dioxide (Aerosol Propellant) Hexane Isomers Consisting of:	(124-38-9)	1-4%
n-Hexane	(110-54-3)	39-43%
Methylcycle pentane	(96-37-7)	8-10%
Methyl pentane		12-18%
Acetic Acid, Propyl Ester		< 3%-Aerosol 5-10%-Bulk
		3-10/0-Dulk

#### **Plastic Compatibility**

Material	Compatibility	Material	Compatibility
ABS	Excellent	PMMA	Excellent
Nylon	Excellent	POM	Excellent
Lexan	Excellent	PP	Excellent
HDPE	Excellent	PS	Excellent
CDPE	Excellent	PTFE	Excellent
C. E. Phenolic	Excellent	PVC	Excellent

勝 特 力 材 料 886-3-5753170 胜特力电子(上海) 86-21-54151736 胜特力电子(深圳) 86-755-83298787 Http://www.100y.com.tw

### **Environmental Policy**

Techspray® is committed to developing products to ensure a safer and cleaner environment. We will continue to meet and sustain the regulations of all federal, state and local government agencies.

#### **Packaging and Availability**

EcoLine™ Contact Cleaner may be ordered in the following container sizes:

1622-10S

10 Ounce Aerosol

#### Resources

Techspray® products are supported by a global sales, technical and customer services resources.

Important Notice to Purchaser/User: The information in this publication is based on tests that we believe are reliable. The results may vary due to differences in tests type and conditions. We recommend that each user evaluate the product to determine its suitability for the intended application. Conditions of use are outside our control and vary widely. Techspray's only obligation and your only solution is replacement of product that is shown to be defective when you receive it. In no case will Techspray® be liable for any special, incidental, or consequential damages based on breach of warranty, negligence or any other theory.



