

## IP66 防水接線盒


### T-BOX IP66 防水接線盒

#### T-BOX IP66 防水接線盒

說明:

- 1.內部防水墊片是注射入發泡.
- 2.所有材料為 ABS UL94-HB
- 3.底板採用鐵板電鍍五彩 1.2mm
- 4.盒蓋與盒體由不易丟失的塑料螺絲

#### Switch Box



規格型號

型號	長	寬	深
底板型號			
DS-AG-0506	65	50	55
MP-0506			
DS-AG-0609	65	95	55
MP-0609			
DS-AG-0811	110	80	70
MP-0811			
DS-AG-0813	130	80	70
MP-0813			
DS-AG-0818	180	80	70
MP-0818			
DS-AG-0825	250	80	70
MP-0825			
DS-AG-1212-S	125	125	75
MP-1212			
DS-AG-1217	175	125	75
MP-1217			
DS-AG-1417	170	140	75
MP-1417			
DS-AG-1520	200	150	100
MP-1520			
DS-AG-1525	250	150	100
MP-1525			
DS-AG-2020-S	200	200	95
MP-1525			
DS-AG-0811-1	110	80	85
MP-0811			
DS-AG-0813-1	130	80	85
MP-0813			
DS-AG-0818-1	180	80	85
MP-0818			
DS-AG-0825-1	250	80	85
MP-0825			

勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-54151736  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

DS-AG-1217-1	175	125	100
MP-1217			
DS-AG-1520-1	200	150	130
MP-1520			
DS-AG-1525-1	250	150	130
MP-1525			
DS-AG-2020-S	200	200	95
MP-2020			
DS-AG-2020	200	200	130
MP-2020			


### IP66 防水控制箱

#### T-BOX IP66 防水接線盒

說明:

1. 內部防水墊片是注射入發泡.
2. 所有材料為 **ABS UL94-HB**
3. 底板採用鐵板電鍍五彩 1.2mm
4. 盒蓋與盒體由不易丟失的塑料螺絲

#### Terminal Box



規格型號	長	寬	深
型號			
底板型號			
DS-AG-2819	280	190	130
DS-2819P/L			
DS-AG-2819-1	280	190	180
DS-2819P/L			
DS-AG-3819	380	190	130
DS-3819P/L			
DS-AG-3819-1	380	190	180
DS-3819P/L			
DS-AG-2828	280	280	130
DS-2828P/L			
DS-AG-3428	340	280	130
DS-3428P/L			
DS-AG-3828	380	280	130
DS-3828P/L			
DS-AG-3828-1	380	280	180
DS-3828P/L			
DS-AG-5628	560	280	130
DS-2828P/L			
DS-AG-5638	560	380	180
DS-2838P/L			
DS-AT-2819	280	190	130
DS-2819P/L			

DS-AT-2819-1	280	190	180
DS-2819P/L			
DS-AT-3819	380	190	130
DS-3819P/L			
DS-AT-3819-1	380	190	180
DS-3819P/L			
DS-AT-2828	280	280	130
DS-2828P/L			
DS-AT-3428	340	280	130
DS-3428P/L			
DS-AT-3828	380	280	130
DS-3828P/L			
DS-AT-3828-1	380	280	180
DS-3828P/L			
DS-AT-5628	560	280	130
DS-2828P/L			
DS-AT-5638	560	380	180
DS-2838P/L			
DS-AGH-2819	280	190	130
DS-2819P/L			
DS-AGH-2819-1	280	190	180
DS-2819P/L			
DS-AGH-3819	380	190	130
DS-3819P/L			
DS-AGH-3819-1	380	190	180
DS-3819P/L			
DS-AGH-2828	280	280	130
DS-2828P/L			
DS-AGH-3428	340	280	130
DS-3428P/L			
DS-AGH-3828	380	280	130
DS-3828P/L			
DS-AGH-3828-1	380	280	180
DS-3828P/L			
DS-AGH-5628	560	280	130
DS-2828P/L			
DS-AGH-5638	560	380	180
DS-2838P/L			
DS-ATH-2819	280	190	130
DS-2819P/L			
DS-ATH-2819-1	280	190	180
DS-2819P/L			
DS-ATH-3819	380	190	130
DS-3819P/L			
DS-ATH-3819-1	380	190	180
DS-3819P/L			
DS-ATH-2828	280	280	130
DS-2828P/L			
DS-ATH-3428	340	280	130
DS-3428P/L			

**勝特力材料 886-3-5753170**  
**勝特力电子(上海) 86-21-54151736**  
**勝特力电子(深圳) 86-755-83298787**  
[Http://www.100y.com.tw](http://www.100y.com.tw)

DS-3428P/L			
DS-ATH-3828	380	280	130
DS-3828P/L			
DS-ATH-3828-1	380	280	180
DS-3828P/L			
DS-ATH-5628	560	280	130
DS-2828P/L			
DS-ATH-5638	560	380	180
DS-2838P/L			


### IP66 NE 系列 ABS 防水開關箱

#### T-BOX IP66 防水接線盒

說明:

1. 內部防水墊片是注射入發泡.
2. 所有材料為 **ABS UL94-HB**
3. 底板採用鐵板電鍍五彩 1.2mm
4. 盒蓋與盒體由不易丟失的塑料螺絲

#### Nice Box



規格型號

型號

長

寬

深

底板型號

NE-AG-1015	150	100	70
MP-1015			
NE-AG-1020	200	100	70
MP-1020			
NE-AG-1723	225	170	110
MP-1723			
NE-AG-1929	290	190	140
MP-1929			
NE-AG-2535	350	250	150
MP-2535			
NE-AG-3030-S	300	300	140
MP-3030			
NE-AG-3030	300	300	180
MP-3030			
NE-AG-2939-M	390	290	140
MP-2939			
NE AG 2939	390	290	160

勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-54151736  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)



NE-AG-2939	390	290	160
MP-2939			
NE-AG-3546-S	465	350	160
MP-3546			
NE-AG-3546	465	350	200
MP-3546			
NE-AG-5040-M	500	400	180
MP-5040			
NE-AG-5040	500	400	220
MP-5040			

### IP56 ABS 防水接線盒

#### T-BOX IP56 防水接線盒

說明:

1. 內部防水墊片是注射入發泡.
2. 所有材料為 **ABS UL94-HB**
3. 盒體內有預留固定器具溝槽
3. 底板採用鐵板電鍍五彩 1.2mm
4. 盒蓋與盒體採用不鏽鋼螺絲



規格型號

型號

長

寬

深

底板型號

DS-AG-AS05

120

80

60

MP-0506

DS-AG-AS15

100

100

60

MP-0609

DS-AG-AS25

150

110

70

MP-0811

DS-AG-AS35

190

140

75

MP-0813

DS-AG-AS45

240

190

100

MP-0818

DS-AG-AS55

300

220

120

MP-0825

勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-54151736  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

## IP66 MG Control Box

### IP66 TI-BOX MG Control Box


TI-BOX MG Control Box 在出廠時，已配有實用性高的不鏽鋼門扣及活頁，且在門扣及活頁安裝處都有特別補強，

是一種開閉簡單的電氣箱。

因自行設計升產，所以價格低廉，產品和附件的品種及大小齊全，能夠滿足客戶的不同需求，產品廣泛使用于控制箱端子箱、配電盤以及儀器箱的組合。

產品種類有：

1. AG: ABS 材質箱蓋不透明
2. AT: ABS 材質箱體, PC 材質透明蓋
3. PG: PC 材質箱蓋不透明, 耐溫-40~130 度
4. PG: PC 材質箱蓋透明, 耐溫-40~130 度



規格型號

型號	長	寬	深
底板型號			
DS-AG-2030	300	200	150
MP-2030			
DS-AG-3020	200	300	150
MP-2030			
DS-AG-2535	350	250	150
MP-2535			
DS-AG-3525	250	350	150
MP-2535			
DS-AG-3030-S	300	300	140
MP-3030			
DS-AG-3040	400	300	170
MP-3040			
DS-AG-4030	300	400	170
MP-3040			
DS-AG-3546	460	350	180
MP-3546			
DS-AG-4635	350	460	180
MP-3546			
DS-AG-4050	520	420	200
MP-4050			
DS-AG-5040	420	520	200

勝特力材料 886-8-5753170  
 勝特力电子(上海) 86-21-54151736  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

MP-4050			
DS-AG-4060	620	420	220
MP-4060			
DS-AG-6040	420	620	220
MP-4060			

勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-54151736  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)



## Terminal Box (Screw open-close type)



- Beautiful appearance, excellent processing and stability should be guaranteed by material such as High Intensity ABS, PC, AC, Polyester assured Flammibility material and Glass 30% annexing material.
- The product was recognized by the Public Trust International Mark Germany VDE, TUV, European Community CE and U.S.A Underwriters Laboratories.
- The use is convenient for the installation of Terminal Box, the supply Switchboard, Apparatus Box, electrical power supply and Control Box etc.



SIZE			Model	
Width mm/inch	Height(Latch Side) mm/inch	Depth mm/inch	ABS	
			Solid Cover	Clear Cover
190/7.48	190/7.48	130/5.12	DS-AG-1919	DS-AT-1919
280/11.02	190/7.48	130/5.12	DS-AG-2819	DS-AT-2819
280/11.02	190/7.48	180/7.09	DS-AG-2819-1	DS-AT-2819-1
380/14.96	190/7.48	130/5.12	DS-AG-3819	DS-AT-3819
380/14.96	190/7.48	180/7.09	DS-AG-3819-1	DS-AT-3819-1
280/11.02	280/11.02	130/5.12	DS-AG-2828	DS-AT-2828
340/13.39	280/11.02	130/5.12	DS-AG-2834	DS-AT-2834
380/14.96	280/11.02	130/5.12	DS-AG-2838	DS-AT-2838
380/14.96	280/11.02	180/7.09	DS-AG-2838-1	DS-AT-2838-1
560/22.05	280/11.02	130/5.12	DS-AG-5628	DS-AT-5628
560/22.05	380/14.96	180/7.09	DS-AG-5638	DS-AT-5638



SIZE			Model			
Width mm/inch	Height (Latch Side) mm/inch	Depth mm/inch	AC		Polyester	
			Solid Cover	Clear Cover	Solid Cover	Clear Cover
190/7.48	190/7.48	130/5.12	DS-PG-1919	DS-PT-1919	DS-PCG-1919	DS-PCT-1919
280/11.02	190/7.48	130/5.12	DS-PG-2819	DS-PT-2819	DS-PCG-2819	DS-PCT-2819
280/11.02	190/7.48	180/7.09	DS-PG-2819-1	DS-PT-2819-1	DS-PCG-2819-1	DS-PCT-2819-1
380/14.96	190/7.48	130/5.12	DS-PG-3819	DS-PT-3819	DS-PCG-3819	DS-PCT-3819
380/14.96	190/7.48	180/7.09	DS-PG-3819-1	DS-PT-3819-1	DS-PCG-3819-1	DS-PCT-3819-1
280/11.02	280/11.02	130/5.12	DS-PG-2828	DS-PT-2828	DS-PCG-2828	DS-PCT-2828
340/13.39	280/11.02	130/5.12	DS-PG-2834	DS-PT-2834	DS-PCG-2834	DS-PCT-2834
380/14.96	280/11.02	130/5.12	DS-PG-2838	DS-PT-2838	DS-PCG-2838	DS-PCT-2838
380/14.96	280/11.02	180/7.09	DS-PG-2838-1	DS-PT-2838-1	DS-PCG-2838-1	DS-PCT-2838-1
560/22.05	280/11.02	130/5.12	DS-PG-5628	DS-PT-5628	DS-PCG-5628	DS-PCT-5628
560/22.05	380/14.96	180/7.09	DS-PG-5638	DS-PT-5638	DS-PCG-5638	DS-PCT-5638

- Temperature range -40°C ~ +100°C
- Temperature range -40°C ~ +90°C
- Temperature range -40°C ~ +100°C

**A G**

- Material: ABS
- Color: Gray

**P G**

- Material: AC
- Flammability
- Color: Gray

**P C G**

- Material: POLYESTER
- Color: Gray

**A T**

- Material: Cover(PC), Body(ABS)
- Color: Cover(Clear)

**P T**

- Material: Cover(PC), Body(AC)
- Color: Cover(Clear)


**P C T**

- Material: Cover(PC), Body (POLYESTER)
- Color: Cover(Clear)

\* UL 94-5VA Flammability material

ABS: Acrylonitrile Butadiene Styrene	PC: Polycarbonate	AC: ABS(30%)+PC(70%)	Polyester: PBT+PC
---	----------------------	-------------------------	----------------------

# Structural Figure of Terminal BOX




- Screw type is a basic specification
- Aluminum panel was equipped utilized by multipurpose Frame.
- Plastic panel equipped which is convenient to install the equipments without a basic plan.
- ① - Basic specification
- ②~ ④ - Optional specification

## ■ DS-PT 2838

勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-34970699  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

## Dimension

(Allowable error: ±1mm)



Model \ Division	H1	H2	H3	H4	W1	W2	W3	W4	D1	D2
DS - 1919	190	174	165	120	190	174	165	120	98	30
DS - 2819	280	266	255	210	190	170	165	120	98	30
DS - 2819-1	280	266	255	210	190	170	165	120	98	80
DS - 2828	280	260	255	210	280	260	255	210	98	30
DS - 2834	341	320	316	270	280	260	256	210	100	30
DS - 2838	380	359	355	310	280	259	255	210	98	30
DS - 2838-1	380	359	355	310	280	259	255	210	98	80
DS - 3819	382	366	355	310	192	172	165	120	98	30
DS - 3819-1	382	366	355	310	192	172	165	120	98	80
DS - 5628	560	540	535	490	280	260	255	220	98	30
DS - 5638	560	540	535	490	380	360	355	311	148	30

## Steel Mounting Panel

Product	Height mm/inch	Width mm/inch	Thickness mm/inch	MODEL
DS-□□□-1919	161/6.34	161/6.34	1.6/0.06	DS-1919
DS-□□□-2819(-1)	251.5/9.90	161/6.34	1.6/0.06	DS-2819
DS-□□□-3819(-1)	352.5/13.88	161/6.34	1.6/0.06	DS-3819
DS-□□□-2828	251/9.88	251/9.88	1.6/0.06	DS-2828
DS-□□□-2834	312/12.28	251/9.88	1.6/0.06	DS-2834
DS-□□□-2838 (-1)	351/13.82	251/9.88	1.6/0.06	DS-2838
DS-□□□-5628	254.5/10.02	532/20.94	1.6/0.06	DS-5628
DS-□□□-5638	345.5/13.60	532/20.94	1.6/0.06	DS-5638






勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-34970699  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

## Plastic Mounting Panel

Product	Height mm/inch	Width mm/inch	Thickness mm/inch	MODEL
DS-□□□-1919	160/6.30	160/6.30	4/0.16	DS-1919 P/L
DS-□□□-2819(-1)	252/9.84	161/6.34	3.4/0.13	DS-2819 P/L
DS-□□□-3819(-1)	155/6.10	335/13.19	4/0.16	-
DS-□□□-2828	267/10.51	267/10.51	3.3/0.13	DS-2828 P/L
DS-□□□-2834	240/9.45	300/11.81	4/0.16	-
DS-□□□-2838 (-1)	351/13.78	251/9.88	4.3/0.17	DS-2838 P/L



## Accessories

Product	Extension Frame	Aluminum Panel	Multipurpose Frame	Bracket	Other Accessories
DS-□□□-1919	EF-1919	-	-	DSB-50	DSK-20 DSK-40 DS-VH-40 DS-VH-50
DS-□□□-2819(-1)	-	DSD-2819	DSF-2819	DSB-50	
DS-□□□-3819(-1)	-	-	-	DSB-50	
DS-□□□-2828	EF-2828	DSD-2828	DSF-2828	DSB-50	
DS-□□□-2834	-	-	-	DSB-50	
DS-□□□-2838(-1)	EF-2838 (-1)	DSD-2838	DSF-2838	DSB-50	
DS-□□□-5628	EF-5628	-	-	DSB-60	
DS-□□□-5638	EF-5638	-	-	DSB-60	

### ● Accessories to be applied

