

Technical Data Sheet

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-54151736
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

PRODUCT DESCRIPTION

Electrolube's Airduster aerosols of pure, compressed, inert gas are designed for the safe removal of dust and airborne contamination from very delicate or unaccessible areas of electrical and electronic equipment. **Electrolube's Airdusters** are non-flammable, non-CFC and non-HCFC products. The range includes an **Invertible Airduster** which is particularly useful for very intricate equipment or items which can not be moved for cleaning or maintenance.

PRODUCT USE

Can be used to remove dust and airborne contamination from all electrical and electronic equipment, e.g. computers, typewriters, control equipment etc. It can also be used on such items as cameras and Hi-Fi equipment. Airduster can also be used to evacuate air from the top of cans of paint etc. to stop skin forming.

FEATURES

- * Pure compressed inert gas.
- * High pressure removes contamination easily and quickly.
- * Special valve which can be used to control the strength of the blast.
- * Packed in high pressure, one part Aluminium cans for maximum safety.

APPLICATION

This product should be used in a vertical position or at an angle of not greater than 60° to the vertical otherwise a freezing effect will result. If it is necessary to tilt the aerosol more than this, use the Invertible version as listed below. The strength of the air blast can be controlled by tilting the valve sideways.

Caution Do not use an **Airduster** for prolonged blasts as the surface of the can will form frost.

TYPICAL PROPERTIES

Form:
Density (liquid):
Flashpoint:
Boiling Point:
Ozone Depleting Potential:

EAD(I)200D / 400D

Colourless Gas
1.13
None
-26.2°C
0.00

PACKAGING

200ml Aerosol
400ml Aerosol
200ml Invertible Aerosol

ORDER CODE

EAD200D and S
EAD400D and S
EADI200D and S