




勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-54151736  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

# EMC Components (Shield Core)



Test Way	 0.5 T	 1.5 T
Diameter	1.0	0.5
Length	10cm	20cm

Material	Item A x C x D	Typical Impedance (ohm)				Z-F Fig
		0.5 turns		1.5 turns		
		25MHz	100MHz	25MHz	100MHz	
L92	RH 4 x 2 x 10	59	94	235	329	RH-01
L62	RH 4.5 x 2.5 x 7	38	73	140	247	RH-02
EM11	RH 4.5 x 2.5 x 10	48	93	179	339	RH-03
L52	RH 4.6 x 1.85 x 6	48	92	185	356	RH-04
EM11	RH 4.6 x 1.85 x 11	80	137	325	497	RH-05
EM11	RH 6 x 4 x 6.5	28	67	98	227	RH-06
L92	RH 7.35 x 5.1 x 10	35	66	137	233	RH-07
L92	RH 8 x 4.1 x 13	68	98	272	355	RH-08
L92	RH 9.5 x 4.8 x 10	55	87	218	332	RH-09
L52	RH 9.5 x 4.8 x 12.7	64	126	258	512	RH-10
EM11	RH 9.5 x 4.8 x 20	107	178	447	611	RH-11
V2M	RH 9.5 x 4.8 x 20	27	132	89	729	RH-12
L52	RH 10.5 x 5.5 x 20	99	167	412	593	RH-13
L52	RH 12 x 5.6 x 20	107	171	445	609	RH-14
L52	RH 12 x 5.6 x 25	141	238	606	664	RH-15
L52	RH 12 x 7.3 x 15	57	100	226	399	RH-16
L3	RH 14.2 x 6.35 x 28.5	149	273	649	772	RH-17
L52	RH 14.2 x 6.35 x 28.5	170	230	714	615	RH-18
L92	RH 14 x 9 x 15	56	87	221	327	RH-19
L92	RH 14 x 8 x 23.5	117	154	474	521	RH-20
L52	RH 14 x 8 x 28.5	115	185	493	622	RH-21
L52	RH 16 x 9 x 17	71	132	289	546	RH-22
L52	RH 17.5 x 9.5 x 28.5	137	203	581	635	RH-23
L52	RH 17.5 x 10.7 x 28.5	100	169	419	624	RH-24
L62	RH 21 x 13.2 x 21	73	121	298	507	RH-25
L52	RH 26 x 13 x 28.5	142	223	617	626	RH-26

\* Other specifications are available also.



勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-54151736  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

# EMC Components (Shield Core)

