GL514/GL513F

TO-18 Type Infrared Emitting Diode

■ Features

1. Output : **GL514** Φ_e MIN. 3.31mW at I_F = 100mA
   GL513F Φ_e MIN. 1.44mW at I_F = 100mA
2. Beam angle : **GL514** $\Delta\theta$: TYP. ± 7˚
   GL513F $\Delta\theta$: TYP. ± 50˚
3. To- 18 type standard package
4. High reliability, long operation life

■ Applications

1. Optoelectronic switches
2. Smoke detectors
3. Infrared applied systems

■ Outline Dimensions (Unit : mm)



■ Absolute Maximum Ratings (Ta = 25˚C)

Parameter	Symbol	Rating	Unit
Power dissipation	P	250	mW
Forward current	I_F	150	mA
*1Peak forward current	I_{FM}	2	A
Reverse voltage	V_R	6	V
Operating temperature	T_{opr}	- 40 to + 125	˚C
Storage temperature	T_{stg}	- 55 to + 125	˚C
*2Soldering temperature	T_{sol}	260	˚C

*1 Pulse width<= 200µs
Duty ratio = 0.01
*2 For 10 seconds at the position of 1.3mm from the bottom face of can package.

■ Electro-optical Characteristics (Ta = 25˚C)

Parameter		Symbol	Conditions	MIN.	TYP.	MAX.	Unit
Forward voltage		V_F	I_F = 100mA	-	1.35	1.6	V
Peak forward voltage		V_{FM}	I_{FM} = 1.5A	-	2.75	4.0	V
Reverse current		I_R	V_R = 5V	-	-	100	µA
Terminal capacitance		C_t	V = 0, f = 1MHz	-	70	-	pF
*3Radiant flux	GL514	Φ_e	I_F = 100mA	3.31	5.35	10.0	mW
	GL513F			1.44	2.88	-	mW
Peak emission wavelength		λ_p	I_F = 100mA	-	950	-	nm
Half intensity wavelength		$\Delta\lambda$	I_F = 100mA	-	45	-	nm

*3 Classification Table of Radiant Flux

Model No.	Rank Mark	Φ_e (mW)
GL514A	A	5.35 to 10.0
GL514	-	3.31 to 10.0

at I_F = 100mA, Ta = 25˚C

Fig. 1 Forward Current vs. Ambient Temperature



Fig. 2 Peak Forward Current vs. Duty Ratio



Fig. 3 Spectral Distribution



Fig. 4 Peak Emission Wavelength vs. Ambient Temperature



Fig. 5 Forward Current vs. Forward Voltage



Fig. 6 Relative Radiant Flux vs. Ambient Temperature



Fig. 7 Radiant Flux vs. Forward Current (GL514)



Fig. 8 Radiant Flux vs. Forward Current (GL513F)



Fig. 9 Relative Radiant Intensity vs. Distance (GL514)



Fig.10 Relative Radiant Intensity vs. Distance (GL513F)



Fig.11 Radiation Diagram (GL514)

(T_a = 25°C)



Fig.12 Radiation Diagram (GL513F)

(T_a = 25°C)



● Please refer to the chapter " Precautions for Use."

NOTICE

- The circuit application examples in this publication are provided to explain representative applications of SHARP devices and are not intended to guarantee any circuit design or license any intellectual property rights. SHARP takes no responsibility for any problems related to any intellectual property right of a third party resulting from the use of SHARP's devices.
- Contact SHARP in order to obtain the latest device specification sheets before using any SHARP device. SHARP reserves the right to make changes in the specifications, characteristics, data, materials, structure, and other contents described herein at any time without notice in order to improve design or reliability. Manufacturing locations are also subject to change without notice.
- Observe the following points when using any devices in this publication. SHARP takes no responsibility for damage caused by improper use of the devices which does not meet the conditions and absolute maximum ratings to be used specified in the relevant specification sheet nor meet the following conditions:

(i) The devices in this publication are designed for use in general electronic equipment designs such as:

– Personal computers
– Office automation equipment
– Telecommunication equipment [terminal]
– Test and measurement equipment
– Industrial control
– Audio visual equipment
– Consumer electronics

(ii) Measures such as fail-safe function and redundant design should be taken to ensure reliability and safety when SHARP devices are used for or in connection with equipment that requires higher reliability such as:

– Transportation control and safety equipment (i.e., aircraft, trains, automobiles, etc.)
– Traffic signals
– Gas leakage sensor breakers
– Alarm equipment
– Various safety devices, etc.

(iii) SHARP devices shall not be used for or in connection with equipment that requires an extremely high level of reliability and safety such as:

– Space applications
– Telecommunication equipment [trunk lines]
– Nuclear power control equipment
– Medical and other life support equipment (e.g., scuba).

- Contact a SHARP representative in advance when intending to use SHARP devices for any "specific" applications other than those recommended by SHARP or when it is unclear which category mentioned above controls the intended use.
- If the SHARP devices listed in this publication fall within the scope of strategic products described in the Foreign Exchange and Foreign Trade Control Law of Japan, it is necessary to obtain approval to export such SHARP devices.
- This publication is the proprietary product of SHARP and is copyrighted, with all rights reserved. Under the copyright laws, no part of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, in whole or in part, without the express written permission of SHARP. Express written permission is also required before any use of this publication may be made by a third party.
- Contact and consult with a SHARP representative if there are any questions about the contents of this publication.