

DESOLDERING PUMPS

GS-100



- Light weight, economical and powerful. It removes solder with a strong vacuum.
- Operation is comfortable and comes with a self cleaning shaft for easy maintenance. It is a large vacuum capacity deluxe type.
- Replacement Nozzle: [Model GS-100N](#)

GS-104



- Light weight, economical and powerful. It removes solder with a strong vacuum.
- Operation is comfortable and comes with a self cleaning shaft for easy maintenance.
- Replacement Nozzle: [Model GS-100N](#)

GS-108



- Light weight, economical and compact.
- Operation is comfortable and comes with a self cleaning shaft for easy maintenance.
- Replacement Nozzle: [Model GS-108N](#)

GS-20



- Light weight, economical and compact.
- Operation is comfortable and comes with a self cleaning shaft for easy maintenance.
- Replacement Nozzle: [Model GS-20N](#)

GS-150



- Light weight, economical and powerful. It removes solder with a strong vacuum.
- Operation is comfortable and comes with a self cleaning shaft for easy maintenance. It is a large vacuum capacity deluxe type.
- It is an anti-static model (Uses conductive plastic).
- Adopts the anti-static nozzle
- Replacement Nozzle: [Model GS-150N](#)

GS-154



- Operation is comfortable and comes with a self cleaning shaft for easy maintenance.
- It is an anti-static model (Uses conductive plastic).
- Adopts the anti-static nozzle
- Replacement Nozzle: [Model GS-150N](#)

GS-158




勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

- Light weight, economical and compact.
- Operation is comfortable and comes with a self cleaning shaft for easy maintenance.
- It is an anti-static model (Uses conductive plastic).
- Adopts the anti-static nozzle
- Replacement Nozzle: [Model GS-158N](#)

SPECIFICATIONS

| MODEL | Length / mm | Weight / g | Dia. / φmm |
|--------|-------------|------------|------------|
| GS-100 | 330 | 89 | 23 |
| GS-104 | 275 | 65 | 19 |
| GS-108 | 190 | 25 | 14 |
| GS-150 | 330 | 89 | 23 |
| GS-154 | 275 | 65 | 19 |
| GS-158 | 190 | 25 | 14 |
| GS-20 | 155 | 25 | 12 |

Replacement Nozzle Shapes



*GS-100N can be used for model GS-100 and GS-104

*GS-150N can be used for model GS-150 and GS-154