


OPTIONAL NOZZLES

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

NOTE:

The size in Name/
 Specification
 indicates the size of
 IC package.



mm (inch)

A1124B Single $\varnothing 2.5$ (0.09) <p>$\varnothing 2.5$ (I.D.) (0.09)</p>	A1125B QFP 10x10 (0.39x0.39) <p>A: 10.2 (0.4) B: 10.2 (0.4)</p>	A1126B QFP 14x14 (0.55x0.55) <p>A: 15.2 (0.6) B: 15.2 (0.6)</p>	A1127B QFP 17.5x17.5 (0.68x0.68) <p>A: 19.2 (0.76) B: 19.2 (0.76)</p>	A1128B QFP 14x20 (0.55x0.78) <p>A: 15.2 (0.6) B: 21.2 (0.83)</p>
A1129B QFP 28x28 (1.1x1.1) <p>A: 29.7 (1.17) B: 29.7 (1.17)</p>	A1130 Single $\varnothing 4.4$ (0.17) <p>$\varnothing 4.4$ (I.D.) (0.17)</p>	A1131 SOP 4.4x10 (0.17x0.39) 	A1132 SOP 5.6x13 (0.22x0.51) 	A1133 SOP 7.5x15 (0.3x0.59)
A1134 SOP 7.5x18 (0.3x0.7) 	A1135B PLCC 17.5x17.5 (0.68x0.68) (44 Pins) <p>A: 18.5 (0.73) B: 18.5 (0.73)</p>	A1136B PLCC 20x20 (0.78x0.78) (52 Pins) <p>A: 21 (0.83) B: 21 (0.83)</p>	A1137B PLCC 25x25 (0.98x0.98) (68 Pins) <p>A: 26 (1.02) B: 26 (1.02)</p>	A1138B PLCC 30x30 (1.18x1.18) (84 Pins) <p>A: 31 (1.22) B: 31 (1.22)</p>
A1139B PLCC 12.5x7.3 (0.49x0.29) (18 Pins) <p>A: 9 (0.35) B: 14 (0.55)</p>	A1140B PLCC 11.5x11.5 (0.45x0.45) (28 Pins) <p>A: 13 (0.51) B: 13 (0.51)</p>	A1141B PLCC 11.5x14 (0.45x0.55) (32 Pins) <p>A: 15 (0.59) B: 13 (0.51)</p>	A1142B Bent Single 1.5x3 (0.06x0.12) 	A1182B BQFP 24x24 (0.94x0.94) <p>A: 24.2 (0.95) B: 24.2 (0.95)</p>
A1187B TSOL 18.5x8 (0.73x0.31) 	A1257B SOP 11x21 (0.43x0.83) 	A1258B SOP 7.6x12.7 (0.3x0.5) 	A1259B SOP 13x28 (0.51x1.1) 	A1260B SOP 8.6x18 (0.34x0.71)
A1261B QFP 20x20 (0.78x0.78) <p>A: 20.2 (0.8) B: 20.2 (0.8)</p>	A1262B QFP 12x12 (0.47x0.47) <p>A: 12.2 (0.48) B: 12.2 (0.48)</p>	A1263B QFP 28x40 (1.1x1.57) <p>A: 27.7 (1.09) B: 39.7 (1.56)</p>	A1264B QFP 40x40 (1.57x1.57) <p>A: 40.2 (1.58) B: 40.2 (1.58)</p>	A1265B QFP 32x32 (1.26x1.26) <p>A: 32.2 (1.27) B: 32.2 (1.27)</p>
A1325 Dual Single $\varnothing 1.5 \times 5-10$ (0.06x0.2-0.39) Adjustable Pitch <p>The pitch between the two nozzles is adjustable.</p> <p>$\varnothing 1.5$ (I.D.) (0.06)</p> <p>Screw</p>				