


勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-54151736
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)




Turns-Counting Dial

(for use with Helicalohm Pot. and Multi-turn Pot.)



MG20-22B



MF10-15YB



DB10-26B



MB10-25B



DC10-27B

Standard type.


(round window)



DC10-27BFK

Flange type.

(square window)



MA10-55

(Special graduations

are available on request)

Read -out	Model No.	Outer Dimensions (mm)	Max. Number Of Turns-Counting	Matching Shaft Diameter (mm)	Combinable Helicalohm Pot.	Lock Device	
	MA	MAAn-55	3,5,10,15,20	6, 6.35	25HP,46HD	No	
	MB	MB10-25B	10	3, 3.175,	10HP,12HPC,12HP,	Yes	
		MB10-30B		4,	20HP,25HP,46HD,		
				6, 6.35	12HHP,20HHP		
		MF10-15X(Y)B	15×18.5	10	3, 3.175, 4	10HP,12HPC,12HP,	
		MF10-15X(Y)BD★				25HP,12HHP	
Analog	MF	MF20-22B	20	3, 3.175,	10HP,12HPC,12HP,		
			20	4,	20HP,22HP,25HP,		
		MF10-25YB	25×29.1	10	6, 6.35		20HHP,22HHP,46HD,
							12HHP
		MF20-46B	20	6, 6.35	20HP,22HP,25HP,		
					20HHP,22HHP,46HD		
	MG	MG20-22B★	20	3, 3.175,	10HP,12HPC,12HP,		
		MG20-22BA		4,	20HP,22HP,25HP,		
				6, 6.35	20HHP,22HHP,46HD,		
					12HHP		
Digital	DA	DA10-24B	10	6, 6.35	20HP,25HP,20HHP,		
					25HP,46HD		
	DB	DB10-26B	26×43.5	10	6, 6.35,		20HP,22HP,25HP,
DB10-26BD★		3, 3.175, 4			20HHP,22HHP,46HD		

	DC10-27B★	27×31.5				
DC	DC10-27BF★	30.5×31.5	10	6	22HP,22HP-N,	
	DC10-27BK★	27×31.5			25HP-D,22HHP,	
	DC10-27BFK★	30.5×31.5			22HHP-N	

■The items with mark of "★" is low-cost version.

勝特力材料 886-3-5753170

勝特力电子(上海) 86-21-54151736

勝特力电子(深圳) 86-755-83298787

[Http://www.100y.com.tw](http://www.100y.com.tw)