







勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-34970699
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

Wave Length (nm) : 695
Vf/@If=20mA : 2.2V
Liminous @If=10mA : 25000ucd
Description : 5*7 紅色共陰
Device Size : 0.7" 12.7*17.82

5 mm 0.7 INCH SERIES



UNIT : mm
TOLERANCE : ± 0.2mm

FACE INK & LENS COLOR	
GW	GRAY FACE WHITE LENS
BW	BLACK FACE WHITE LENS
GC	GRAY FACE CLEAR LENS
BC	BLACK FACE CLEAR LENS

FOR EXAMPLE :
N0757RS-DW
 → WHITE DIFFUSION
 → GRAY FACE
 → MODEL NO.

FIG.A N0757RS / G / O / E / Y
N0757SY / SF / FS / PG




FIG.B N0757RS / G / O / E / Y
N0757SY / SF / FS / PG










FIG.C N0756RS / G / O / E / Y
N0756SY / SF / FS / PG



0.7" 5x7 dot matrix single color



UNIT : mm
TOLERANCE : ± 0.2mm



FACE INK & LENS COLOR	
GW	GRAY FACE WHITE LENS
BW	BLACK FACE WHITE LENS
GC	GRAY FACE CLEAR LENS
BC	BLACK FACE CLEAR LENS



FIG.A M0755CS/C/CE




FIG.B M0755CS/C/CE





FIG.C M0754CS/C/CE



0.7" 5x7 dot matrix single color