



6958 250W G6.35 24V 1CT

Product family description
Low-voltage, flat-filament quartz halogen lamps

Product Features

- Small bulb shape and high luminous intensity
- Lamps with prefocus base have a better-defined position of the filament in the system, allowing lamp replacement without adjustment
- XHP lamps are optimised for maximum light output by using xenon filling gas within IEC limits for these types

Product Benefits

- Specially suited for use in compact, efficient projection systems
- Constant, high light output during lifetime
- Distortion-free quartz bulb for optimal beam performance

Application

- Studio, film, theatre and disco lighting
- Slide, overhead, profile and 8/16 mm film projectors
- Microfilm readers and reader printers
- Dental lights
- Microscopes and endoscopes

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-54151736
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



Product data	
Product Number	318840
Full product name	6958 250W G6.35 24V 1CT
Ordering Code	EVC
Pack type	1 Carton
Pieces per Sku	1
Skus/Case	24
Pack UPC	8711500409898
EAN2US	
Case Bar Code	8711500421012
Successor Product number	
ANSI Code	EVC/FGX

PHILIPS

Product data	
Cap- Base	G6.35
Filament Shape	Flat
Operating Position	s90
Main Application	Projection
Packing Type	1CT [1 Carton]
Packing Configuration	4X6F
Life to 50% failures	300 hr
Pack UPC	8711500409898
Case Bar Code	8711500421012
Ordering Code	EVC
Lamp Wattage Rated	250W
Colour Rendering Index	100 Ra8
Luminous Flux Lamp	8400 Lm
Overall Length C	57 mm
Diameter D	
Light Center Length L	33 mm
Case Height	3.000 in
Case Length	4.000 in
Case Width	6.000 in
Product Number	318840
Pack Height	1.200 in
Pack Length	2.900 in
Pack Weight	0.038 in
Pack Width	1.200 in




XHMPSEFF G6.35




Cap- Base G6.35

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

Operating Position s90



XHMPSEFF G6.35/GY6.35

	C	D	L	L	L	P	P	P
Full product name	Max	Max	Min	No m	Max	Min	No m	Max
6958	57	13.5	32.75	33	33.25	0.95	1	1.05

	C	D	L	L	L	P	P	P
Full pro duc t na me	Max	Max	Min	No m	Max	Min	No m	Max

250
W
G6.
35
24V
1CT

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-54151736
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

