



7027 50W G6.35 12V 1CT

Product family description
Low-voltage, flat-filament quartz halogen lamps

Product Features

- Small bulb shape and high luminous intensity
- Lamps with prefocus base have a better-defined position of the filament in the system, allowing lamp replacement without adjustment
- XHP lamps are optimised for maximum light output by using xenon filling gas within IEC limits for these types

Product Benefits

- Specially suited for use in compact, efficient projection systems
- Constant, high light output during lifetime
- Distortion-free quartz bulb for optimal beam performance

Application

- Studio, film, theatre and disco lighting
- Slide, overhead, profile and 8/16 mm film projectors
- Microfilm readers and reader printers
- Dental lights
- Microscopes and endoscopes

勝特力材料 886-3-5753170
勝特力电子(上海) 86-21-54151736
勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



Product data	
Product Number	316273
Full product name	7027 50W G6.35 12V 1CT
Ordering Code	BRL
Pack type	1 Carton
Pieces per Sku	1
Skus/Case	100
Pack UPC	8711500409829
EAN2US	
Case Bar Code	8711500423245
Successor Product number	
ANSI Code	BRL/BCD

PHILIPS

Product data	
Cap- Base	G6.35
Filament Shape	Flat
Operating Position	s90
Main Application	Projection
Packing Type	1CT [1 Carton]
Packing Configuration	10X10F
Life to 50% failures	50 hr
Pack UPC	8711500409829
Case Bar Code	8711500423245
Ordering Code	BRL
Lamp Wattage Rated	50W
Colour Rendering Index	100 Ra8
Luminous Flux Lamp	1500 Lm
Overall Length C	44 mm
Diameter D	
Light Center Length L	30 mm
Case Height	3.000 in
Case Length	11.000 in
Case Width	11.000 in
Product Number	316273
Pack Height	1.000 in
Pack Length	2.700 in
Pack Weight	0.010 in
Pack Width	1.000 in




XHMPSEFF G6.35




Cap- Base G6.35

勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)



勝特力材料 886-3-5753170
 勝特力电子(上海) 86-21-54151736
 勝特力电子(深圳) 86-755-83298787
[Http://www.100y.com.tw](http://www.100y.com.tw)

Operating Position s90



XHMPSEFF G6.35/GY6.35

	C	D	L	L	L	P	P	P
Full product name	Max	Max	Min	No m	Max	Min	No m	Max
7027	44	11.5	29.75	30	30.25	0.95	1	1.05

	C	D	L	L	L	P	P	P
Full pro duc t na me	Max	Max	Min	No m	Max	Min	No m	Max

50
W
G6.
35
12V
1CT

