



## 7748S 250W G6.35 24V 1CT

Product family description  
Low-voltage, flat-filament quartz halogen lamps

### Product Features

- Small bulb shape and high luminous intensity
- Lamps with prefocus base have a better-defined position of the filament in the system, allowing lamp replacement without adjustment
- XHP lamps are optimised for maximum light output by using xenon filling gas within IEC limits for these types

### Product Benefits

- Specially suited for use in compact, efficient projection systems
- Constant, high light output during lifetime
- Distortion-free quartz bulb for optimal beam performance

### Application

- Studio, film, theatre and disco lighting
- Slide, overhead, profile and 8/16 mm film projectors
- Microfilm readers and reader printers
- Dental lights
- Microscopes and endoscopes

勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-54151736  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)



Product data	
Product Number	317586
Full product name	7748S 250W G6.35 24V 1CT
Ordering Code	EHI
Pack type	1 Carton
Pieces per Sku	1
Skus/Case	100
Pack UPC	8711500409874
EAN2US	
Case Bar Code	8711500423139
Successor Product number	
ANSI Code	EHI

# PHILIPS

Product data	
Cap- Base	G6.35
Filament Shape	Flat
Operating Position	s90
Main Application	Projection
Packing Type	1CT [1 Carton]
Packing Configuration	10X10F
Life to 50% failures	50 hr
Pack UPC	8711500409874
Case Bar Code	8711500423139
Ordering Code	EHI
Lamp Wattage Rated	250W
Colour Rendering Index	100 Ra8
Luminous Flux Lamp	9400 Lm
Overall Length C	55 mm
Diameter D	
Light Center Length L	33 mm
Case Height	4.000 in
Case Length	11.000 in
Case Width	11.000 in
Product Number	317586
Pack Height	1.000 in
Pack Length	2.600 in
Pack Weight	0.020 in
Pack Width	1.000 in




XHMPSEFF G6.35




Cap- Base G6.35

勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-54151736  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)



勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-54151736  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

Operating Position s90



XHMPSEFF G6.35/GY6.35

	C	D	L	L	L	P	P	P
Full product name	Max	Max	Min	No m	Max	Min	No m	Max
774 8S	55	13.5	32.75	33	33.25	0.95	1	1.05

---

	C	D	L	L	L	P	P	P
Full product name	Max	Max	Min	Nom	Max	Min	Nom	Max

---

250  
W  
G6.  
35  
24V  
1CT

---

勝特力材料 886-3-5753170  
勝特力电子(上海) 86-21-54151736  
勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)

