

外觀尺寸

勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-54151736  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)



選擇開關二段接點圖

型式	TN2-1A	TN2-1B	TN2-1C	TN2-2A	TN2-2B	TN2-2C																																							
接點	1a	1b	1a1b	2a	2b	2a2b																																							
接點圖	<table border="1" style="margin-top: 10px;"> <tr> <td>接點</td> <td>0</td> <td>1</td> </tr> <tr> <td>3-4</td> <td></td> <td>X</td> </tr> </table>	接點	0	1	3-4		X	<table border="1" style="margin-top: 10px;"> <tr> <td>接點</td> <td>0</td> <td>1</td> </tr> <tr> <td>3-4</td> <td></td> <td>X</td> </tr> </table>	接點	0	1	3-4		X	<table border="1" style="margin-top: 10px;"> <tr> <td>接點</td> <td>0</td> <td>1</td> </tr> <tr> <td>3-4</td> <td></td> <td>X</td> </tr> </table>	接點	0	1	3-4		X	<table border="1" style="margin-top: 10px;"> <tr> <td>接點</td> <td>0</td> <td>1</td> </tr> <tr> <td>3-4</td> <td></td> <td>X</td> </tr> <tr> <td>3-4</td> <td></td> <td>X</td> </tr> </table>	接點	0	1	3-4		X	3-4		X	<table border="1" style="margin-top: 10px;"> <tr> <td>接點</td> <td>0</td> <td>1</td> </tr> <tr> <td>3-4</td> <td></td> <td>X</td> </tr> </table>	接點	0	1	3-4		X	<table border="1" style="margin-top: 10px;"> <tr> <td>接點</td> <td>0</td> <td>1</td> </tr> <tr> <td>3-4</td> <td></td> <td>X</td> </tr> </table>	接點	0	1	3-4		X
接點	0	1																																											
3-4		X																																											
接點	0	1																																											
3-4		X																																											
接點	0	1																																											
3-4		X																																											
接點	0	1																																											
3-4		X																																											
3-4		X																																											
接點	0	1																																											
3-4		X																																											
接點	0	1																																											
3-4		X																																											

選擇開關三段接點圖

型式	TN2-2A	TN2-4A
----	--------	--------

本系列開關之接點座採用標準接點座，裝配尺寸見 G3 頁。



型號說明



**勝特力材料 886-3-5753170**  
**勝特力电子(上海) 86-21-54151736**  
**勝特力电子(深圳) 86-755-83298787**  
[Http://www.100y.com.tw](http://www.100y.com.tw)

項次	代號	說明
1. 固定孔徑	TN2	Ø22mm/Ø25mm
	TN3	Ø30mm
2. 型式	SS	標準選擇
	SH	長柄選擇
	KS	鑰匙選擇
3. 動作方式	1	三段 90°x2
	2	二段 90°
	3	二段 90°复歸
	4	三段 45°x2
	5	三段 45°x2 右邊复歸
	6	三段 45°x2 左邊复歸
	7	三段 45°x2 二邊复歸

項次	代號	說明	
4. 鑰匙抽出位置	1	0,1 皆可抽出	
	2	0 可抽出	
	3	1 可抽出	
	4	0,1,2 皆可抽出	
	5	0 可抽出	
	6	0,1,2 皆可抽出	
	7	0 可抽出	
5. 顏色	R	紅	
	G	綠	
	B	黑	
6. 接點數目	1	1 組	
	2	2 組	
	3	3 組	
	4	4 組	
6. 接點種類		二段	三段
	A	1a	—
	B	1b	—
	C	1a1b	1a 0 1a
	AB	1a+1b	—

接點	1a 01 a	2a 0 2a																																
接點圖	 <table border="1" data-bbox="558 291 766 403"> <thead> <tr> <th>接點</th> <th>1</th> <th>0</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>3-4</td> <td>X</td> <td></td> <td></td> </tr> <tr> <td>3-4</td> <td></td> <td></td> <td>X</td> </tr> </tbody> </table>	接點	1	0	2	3-4	X			3-4			X	 <table border="1" data-bbox="1037 291 1244 403"> <thead> <tr> <th>接點</th> <th>1</th> <th>0</th> <th>2</th> </tr> </thead> <tbody> <tr> <td>3-4</td> <td>X</td> <td></td> <td></td> </tr> <tr> <td>3-4</td> <td>X</td> <td></td> <td></td> </tr> <tr> <td>3-4</td> <td></td> <td></td> <td>X</td> </tr> <tr> <td>3-4</td> <td></td> <td></td> <td>X</td> </tr> </tbody> </table>	接點	1	0	2	3-4	X			3-4	X			3-4			X	3-4			X
接點	1	0	2																															
3-4	X																																	
3-4			X																															
接點	1	0	2																															
3-4	X																																	
3-4	X																																	
3-4			X																															
3-4			X																															

勝特力材料 886-3-5753170  
 勝特力电子(上海) 86-21-54151736  
 勝特力电子(深圳) 86-755-83298787  
[Http://www.100y.com.tw](http://www.100y.com.tw)